

# BOSTONtec



*Ergonomic Workstations*



IMPROVING PRODUCTIVITY THROUGH  
**ERGONOMIC SOLUTIONS**

[bostontec.com](http://bostontec.com)

# Ergonomic Workstations for Your Applications


## APPLICATIONS

### What We Do



#### ASSEMBLY

Assembly operations in, e.g., the automotive or aerospace industries perform better with ergonomic workbenches.



#### PACKING & SHIPPING

Modular workstations optimize the productivity of your online fulfillment, packaging, or receiving operation.



#### CONVEYOR

Choose specific workbench solutions that seamlessly integrate with your conveyor system.



#### ESD WORKBENCHES

Manufacturing sensitive electronics requires specific ESD workbenches that prevent damage to components and finished products.




#### MEDICAL ASSEMBLY

Optimize medical equipment manufacturing and biotech processes with adjustable workbenches.



#### CLEANROOM

Control your cleanroom environment while optimizing your workflow with workstations designed for cleanrooms.



#### LABORATORY

Support your research team by offering a safe, productive, and comfortable work environment.



#### WIRE HARNESS ASSEMBLY

Electric height adjustability and manual tilt mechanisms help wire harness manufacturers increase productivity.

Have a niche application?  
**GO CUSTOM**



See [page 6](#)

# Table of Contents

03

General Info

07

Industrial

27

Accessories

58

Laboratory

Applications .....	2	<b>Industrial Overview</b> .....	7	<b>Accessories Overview</b> .....	27	<b>Laboratory Overview</b> .....	58
Ergonomics At Work .....	4	<b>Base Frames</b>		<b>Uprights</b> .....	30	<b>Base Frames</b>	
		Electric Height Adjustable .....	10			Electric Height Adjustable .....	60
Custom Capabilities .....	6	Manual Height Adjustable .....	12	<b>Shelves</b> .....	32	Manual Height Adjustable .....	60
Color Program .....	8	<b>Technical Workstations</b> .....	14	<b>Computer Accessories</b> .....	37	<b>Utility Tables</b> .....	61
<b>QUICKSHIP</b> .....	55	<b>Four-Post Workstations</b> .....	15	<b>Power &amp; Lights</b> .....	41	<b>Work Surfaces</b> .....	63
Feet And Caster		<b>Specialty Frames</b> .....	17	<b>Tool Support</b> .....	46	<b>Laboratory Accessories</b> .....	64
Part Numbers .....	71	<b>Feet and Casters</b> .....	20	<b>Storage</b> .....	50		
		<b>Work Surfaces</b> .....	22	<b>Other Popular Accessories</b> .....	52		
		<b>Specialty Work Surfaces</b> .....	24				

Need it Fast?



**QUICKSHIP** | SHIPS IN 5-9 DAYS!

\* business days

- Our most popular models and accessories
- FOB Midland, Michigan
- See [page 55](#) for more details



Look for **accessories** with the QuickShip logo.

# Ergonomics At Work

BOSTONtec® was founded on a commitment to providing ergonomic workstations that improve the quality of life and increase productivity. This is achieved through a full line of height adjustable workstations and a wide range of accessories that lift, tilt, rotate and slide for optimal flexibility.

## ANSI/HFS 100-1988

BOSTONtec follows ANSI/HFS 100-1988 guidelines to ensure proper leg clearance and adjustability for seated operators. Our workstations are designed to support ADA compliance.

By utilizing a range of adjustable components, workstations can be configured to meet the needs of 90 percent of operators or what ergonomists refer to as the 5th to 95th percentile.

## PRODUCTIVITY

While automation has improved quality and productivity, many of the tasks that remain are repetitive and can be detrimental to the human body. Proper workstation solutions allow users to focus strength and energy on the tasks at hand while avoiding harmful effects.


**Properly designed workstations can increase productivity up to 25%** over traditional fixed workstations by reducing unnecessary motion and subsequently increasing ROI.

## MSDs

Musculoskeletal disorders (MSDs) are injuries and disorders of soft tissues such as muscles, tendons, ligaments, joints and the nervous system caused by repetitive motions. MSDs frequently involve the arms, wrists, hands and back.

**MSDs account for 34% of all lost workday injuries and illnesses.**

Each year employers report nearly 600,000 MSDs requiring time away from work. BOSTONtec ergonomic workstations and accessories assist in preventing strain with convenient workstation height adjustability and by placing tools and other items within reach of the operator.



*Workforce diversity has made designing for the "average" worker obsolete. BOSTONtec workstations are designed for 5th to 95th percentile users.*

For more information go to [www.bostontec.com/ergonomics](http://www.bostontec.com/ergonomics)

## ERGONOMIC SOURCES

[www.bls.gov](http://www.bls.gov)  
[www.cdc.gov](http://www.cdc.gov)  
[www.danmacleod.com](http://www.danmacleod.com)  
[www.ergo-plus.com](http://www.ergo-plus.com)  
[www.ergonomics4schools.com](http://www.ergonomics4schools.com)  
[www.ergoweb.com](http://www.ergoweb.com)  
[www.osha.com](http://www.osha.com)




Comfort and productivity can be significantly improved if the ergonomic reach of the operator is considered when designing a workstation. BOSTONtec has a wide variety of accessories to help place needed items according to the recommended zone.

## BOSTONtec Gets You In The Green Zone

### Want to know more?

Visit [bostontec.com](http://bostontec.com) to stay up-to-date on the latest ergonomic research. Or for reach zone related specifics, check out our comprehensive guide by scanning the QR code below.

*Know Your Ergonomic Reach Zones*



**Zone 4**  
Storage for minimal use items

**Zone 3**  
Less accessible for low use items

**Zone 2**  
Comfortable access to medium use items

**Zone 1**  
Easy access to high use items



# Custom Capabilities

BOSTONtec is the industry leader in customized solutions. Our in-house capabilities take your ideas from concept to final product.

---



## Design & Engineering

Working with the customer, our sales and engineering team identify and address the specific needs of the application. Our engineering team then creates a customized solution with renderings to assist in completion of the final design.

## Manufacturing

Once designs are customer-approved, our engineering and production teams turn the drawings into customized workstations.

**All aspects of manufacturing are performed in-house.**

- Sheets of steel are laser cut, pressed and formed to exact specifications.
- Our welding department utilizes MIG, TIG and spot welding techniques.
- All steel components are finished on our powder coating line where they are high pressure washed, degreased, painted and baked at 400°.
- Finally, workstations head to assembly where frame and under work surface components are assembled pre-shipment.

---

## Shipping

BOSTONtec workstations are carefully packaged and palletized for protection during shipment.

## Additional Services

BOSTONtec also offers project management services and on-site installation.

# INDUSTRIAL



ASSEMBLY  
FULFILLMENT  
MANUFACTURING  
PACKING  
SHIPPING  
TESTING

All workstations are in gray epoxy powder coat finish unless noted otherwise. [Additional colors available.](#)

# INDUSTRIAL

Build Your Own Workstation a Few Simple Steps!



## STEP 5: Choose Your Color

Enhance your work environment, show your company pride, or color code work zones.

### Color Program

- No charge, no minimum
- Standard lead time

*\*Denotes matte finish*


### Custom Color Requests

Customer provides color swatch to match - **or** - RAL color choice

- Cost quoted as requested
- **Contact BOSTONtec for more information**




WHITE



CREAM



NEUTRAL



LIGHT GRAY



PLATINUM\*




STEEL GRAY



BLACK\*



BURGUNDY



FIRE ENGINE RED



CLEMENTINE ORANGE\*



VIBRANT GREEN\*



CLASSIC BLUE



NAVY

**BOSTONtec**





# Speed Up Your Packaging & Shipping

Boost Efficiency and Comfort with Ergonomic Workstations

View More Details



**SCAN ME**  
Hold camera to  
image



## Shipping Workstations & Benches for Fulfillment Operations

Packaging, shipping, receiving, and return activities can be performed faster and safer utilizing a properly designed shipping station.

### KEY BENEFITS :

- Improve efficiency with quick and easy access to products and supplies
- Reduce repetitive stress injuries by fitting the workstation to the worker
- Cut workers' compensation cost
- Enhance employee satisfaction and morale
- Adapt to varying needs of an order fulfillment workflow with modular workstation design
- Experience virtually maintenance-free operation



## INDUSTRIAL ELECTRIC HEIGHT ADJUSTABLE

### Cantilevered Workstation

Best for multiple-operator, multiple-shift applications. Designed to support 5th to 95th percentile operators in a sitting or standing posture. Work surface height is easily adjustable at the touch of a button. A rear fixing frame provides stable support for single, double or triple bay uprights to hold bin rails, shelving, lighting and other accessories.

#### FEATURES:

- Cantilevered style leg ensures ample leg room
- Adjusts 28" to 44" without work surface
- Programmable switch provides digital height read-out and preset adjustability
- Medium Duty (PB) includes self-contained linear actuator with integral limit switches, 12 VDC low voltage control
- Heavy Duty (PBH) includes dual-synchronized linear actuators with integral limit switches, 12 VDC low voltage control
- Supports [ADA compliance](#)
- Gray epoxy powder coat finish ([Additional colors available](#))
- [Feet or casters](#), [work surface](#), and [accessories](#) ordered separately
- See [page 55](#) for QuickShip availability



Load Capacity | MEDIUM DUTY  
500 lbs\*



Load Capacity | HEAVY DUTY  
1,200 lbs\*

#### BUILD YOUR PART NUMBER

Medium Duty: PB

Heavy Duty: PBH

Available in depths: 24" | 30" | 36"

Available in widths: 30" | 36" | 48" | 60" | 72" | 84" | 96"

Additional sizes available upon request

\*Based on evenly distributed loads

# PB3060

Prefix | Depth & Width  
(based on work surface size)

**BOSTONtec**



CONTACT US | 989-496-3500



## INDUSTRIAL ELECTRIC HEIGHT ADJUSTABLE

### Center-Justified Workstation

Created for applications requiring access from both sides of the table. Best for multiple-operator and multiple-shift applications. Designed to support 5th to 95th percentile operators in either a sitting or standing posture. Work surface height is easily adjustable at the touch of a button. This frame does not support uprights.

#### FEATURES:

- Center-justified style leg
- Adjusts 28" to 44" without work surface
- Programmable switch provides digital height read-out and preset adjustability
- Medium Duty (PBC) includes self-contained linear actuator with integral limit switches, 12 VDC low voltage control
- Heavy Duty (PBHC) includes dual-synchronized linear actuators with integral limit switches, 12 VDC low voltage control
- Supports [ADA compliance](#)
- Gray epoxy powder coat finish ([Additional colors available](#))
- [Feet or casters](#), [work surface](#) and [accessories](#) ordered separately
- See [page 55](#) for QuickShip availability



Load Capacity | MEDIUM DUTY  
500 lbs\*



Load Capacity | HEAVY DUTY  
1,200 lbs\*

#### BUILD YOUR PART NUMBER

Medium Duty: PBC

Heavy Duty: PBHC

Available in depths: 30" | 36" | 48"

Available in widths: 30" | 36" | 48" | 60" | 72" | 84" | 96"

Note: 48" depth tables have widths available starting at 60"

Additional sizes available upon request

\*Based on evenly distributed loads

# PBC3060

Prefix

Depth & Width  
(based on work surface size)

CONTACT US | 989-496-3500

**BOSTONtec**  
☐ **B** ☐ ☐ ☐



# INDUSTRIAL MANUAL HEIGHT ADJUSTABLE

## Cantilevered Workstation

Best for single-shift, single-operator applications where frequent height changes are not required. Designed to support 5th to 95th percentile operators in either a sitting or standing posture. Height adjustments are made by removing the locking hand screws, repositioning the telescoping legs to the desired height and replacing the locking hand screw. Rear fixing frame provides stable support for single, double or triple bay uprights to hold bin rails, shelving, lighting and other accessories.

### FEATURES:

- Cantilevered style leg ensures ample leg room
- Heavy Duty (AFH) adjusts 28" to 43" without work surface
- Supports [ADA compliance](#)
- Gray epoxy powder coat finish ([Additional colors available](#))
- [Feet or casters](#), [work surface](#) and [accessories](#) ordered separately
- See [page 55](#) for QuickShip availability



AFH shown with optional accessories



Load Capacity  
1,200 lbs<sup>†</sup> | HEAVY DUTY

### BUILD YOUR PART NUMBER

Heavy Duty: AFH

Available in depths: 24" | 30" | 36"

Available in widths: 30" | 36" | 48" | 60" | 72" | 84" | 96"

Additional sizes available upon request

<sup>†</sup>Based on evenly distributed loads

# AFH2460

Prefix

Depth & Width  
(based on work surface size)

**BOSTONtec**



CONTACT US | 989-496-3500





## INDUSTRIAL MANUAL HEIGHT ADJUSTABLE

### Center-Justified Workstation

Created for applications requiring access to both sides of the table. Best for single-shift, single-operator applications where frequent height changes are not required. Designed to support 5th to 95th percentile operator in either a sitting or standing posture. Height adjustments are made by removing the locking hand screws, repositioning the telescoping legs to the desired height and replacing the locking hand screw. This frame does not support uprights.

#### FEATURES:

- Center-justified style leg
- Heavy Duty (AFHC) adjusts 28" to 44", without work surface
- Supports [ADA compliance](#)
- Gray epoxy powder coat finish ([Additional colors available](#))
- [Feet or casters](#), [work surface](#) and [accessories](#) ordered separately



AFHC shown with laminate work surface and leveler feet



Load Capacity  
1,200 lbs† | HEAVY DUTY

#### BUILD YOUR PART NUMBER

Heavy Duty: AFHC

Available in depths: 30" | 36" | 48"

Available in widths: 30" | 36" | 48" | 60" | 72" | 84" | 96"

Note: 48" depth tables have widths available starting at 60"

Additional sizes available upon request

†Based on evenly distributed loads

# AFHC3060

Prefix

Depth & Width  
(based on work surface size)

CONTACT US | 989-496-3500

**BOSTONtec**  
☐ **B** ☐ ☐ ☐



# INDUSTRIAL TECHNICAL WORKSTATION

## Technical Workstation

This sturdy, Technical Workstation is available in a fixed height or with optional leg extensions. The leg extensions are inserted inside the workstation legs and secured with machine screws.

### FEATURES:

- Ships knocked down (KD)
- Gray epoxy powder coat finish  
(Additional colors available)
- Work surface and accessories ordered separately

### Technical Workstation with Leg Extensions and Leveler Glides (TCBE)

- 8" of height adjustment
- Includes leg extensions and leveler glides



Load Capacity  
1,500 lbs\* | TCBE



Load Capacity  
1,500 lbs\* | TCBE

### Under Work Surface Shelving

- Provides additional storage for occasional use items
- Available in half or full depth
- All industrial work surface options

### BUILD YOUR PART NUMBER

TCBE: Technical Workstation with Leg Extensions

Available in heights: 30" | 36"

Available in depths: 24" | 30" | 36"

Available in widths: 30" | 36" | 48" | 60" | 72" | 84" | 96"

Additional sizes available upon request  
\*Based on evenly distributed loads

**TCBE303660**

Prefix | Height | Depth | Width  
(based on work surface size)

**BOSTONtec**



CONTACT US | 989-496-3500



# INDUSTRIAL FOUR POST WORKSTATION

NEW!

INDUSTRIAL

FOUR POST

I

## Four Post Workstation

Introducing our robust Four Post Workstation, enhanced with extendable leg feature. For added mobility choose our workstation model with swivel casters.

Seamlessly integrate with BOSTONtec's industrial uprights and accessories, unlocking a vast array of design potential.

### FEATURES:

- Ships knocked down (KD)
- Gray epoxy powder coat finish  
(Additional colors available)
- Work surface and accessories ordered separately
- All industrial work surface options available

### Four Post Workstation with Leveler Glides (FPL)

- 8" of height adjustment
- Compatible with industrial [uprights](#)
- Includes leg extensions and [leveler glides](#)

### Four Post Workstation with Casters (FPC)

- 8" of height adjustment
- Compatible with industrial [uprights](#)
- Includes leg extensions and four [universal locking casters](#)

### Four Post Center Justified Workstation with Leveler Glides (FPL-2)

- 8" of height adjustment
- Includes leg extensions and [leveler glides](#)

### Four Post Center Justified Workstation with Casters (FPC-2)

- 8" of height adjustment
- Includes leg extensions and four [universal locking casters](#)



Load Capacity  
1,000 lbs\* | FPC



Load Capacity  
1,000 lbs\* | FPL

### Choice of Under Work Surface Shelving

- Steel Full-depth Shelf
- Steel Lower Corrugate Shelf



Load Capacity  
1,000 lbs\* | FPC-2

### BUILD YOUR PART NUMBER

**FPL:** Four Post Workstation with Leveler Glides

**FPC:** Four Post Workstation with Casters

**FPL-2:** Four Post Center Justified Workstation with Leveler Glides

**FPC-2:** Four Post Center Justified Workstation with Casters

**Available in heights:** 30" | 36"

**Available in depths:** 24" | 30" | 36"

**Available in widths:** 30" | 36" | 48" | 60" | 72" | 84" | 96"

Additional sizes available upon request, \*Based on evenly distributed loads

**FPL303660-2**

Prefix | Height | Depth | Width  
(based on work surface size)

CONTACT US | 989-496-3500

**BOSTONtec**  
B O S T O N

# Save Space and Improve Productivity

Optimize Your Workflow with Tailored Conveyor Solutions

View More Details



**SCAN ME**  
Hold camera to  
image



## Conveyor Workstations & Workbenches

Conveyor workstations can free the operators of a significant amount of manual material handling. The repetitive motions such as lifting, lowering, pushing, and pulling cost not only work time but also the health of the workers. Conveyor workbench tops are often equipped with tilt, rollers, and ball transfers, or freestanding frames are used to integrate seamlessly with your existing conveyor system. It minimizes physical exertions and non-value added motions.

### KEY BENEFITS :

- Support lean processes by minimizing non-value added motions
- Prevent work-related musculoskeletal disorders associated with manual material handling
- Cut workers' compensation cost
- Optimize space utilization
- Improve productivity
- Enhance employee satisfaction and morale
- Economical and adaptable solution





## INDUSTRIAL SPECIALTY FRAMES

### Standing Workstation Frame

Cost-effective means of supporting a small work surface and accessories. Ideal in spaces where a full workstation is not needed. Frames may be used behind conveyors to provide easy access and support for tools or task items. Adding optional casters creates a mobile desk.



#### STANDING WORKSTATION FRAME FEATURES:

- Single bay frame 30"w x 69"h
- Double bay frame 60"w x 69"h
- Both frames accept 24"d x 30"w or 24"d x 36"w work surfaces
- Work surface and accessories adjust in one-inch increments
- Includes leveler feet, top and bottom support bars
- Gray epoxy powder coat finish  
(Additional colors available)
- Casters, work surface and accessories ordered separately

PART NO.	DESCRIPTION
SWF3069	Single Bay Standing Frame, 30"w
SWF6069	Double Bay Standing Frame, 60"w
SWFA24	Work Surface Support Arms (Pair)
SWF3069C4	Standing Frame with Casters (4-locking)
SWF6069C6	Standing Frame with Casters (6-locking)

### Trolley

Offers additional mobile storage for shared materials or to refill work areas. The trolley uses two uprights to provide easy, open access to items.



#### TROLLEY FEATURES:

- Accepts most industrial accessories and articulating arms
- Accessories adjust in one-inch increments
- Gray epoxy powder coat finish  
(Additional colors available)
- Includes 2-locking and 2-non-locking 4" casters and top and bottom cross bars
- Accessories ordered separately

PART NO.	DESCRIPTION
TTF3073	Trolley, 30"w x 73"h

\*Based on evenly distributed loads

CONTACT US | 989-496-3500

**BOSTONtec**  
☐ **B** ☐ ☐ ☐

# Adjust Your Work With Ease

Boosting Efficiency in Wire Assembly

Learn more!

CONTACT US | 989-496-3500



## Wire Harness Board Workbench

Electric height adjustability and manual tilt mechanisms provide a more ergonomic work environment. The BOSTONtec wire harness board frame results from a three-year cooperative development project with major wire harness fabricators. The workbench allows the operator to quickly set a wire harness board appropriately and then change position without removing work in process.

### KEY BENEFITS :

- Improves operator comfort thanks to electric height and tilt adjustability
- Reduces non-value added motions
- Decreases repetitive motion injuries
- Increases wiring accuracy
- Reduces cycle time



## INDUSTRIAL SPECIALTY FRAMES

### Wire Harness Board Frame

This workstation is the result of three years of cooperative development with several major wire harness fabricators. The electric height adjustable and manual tilt mechanisms provide a more ergonomic work environment increasing productivity. Frame allows operator to properly set a large wire harness board quickly, then change position without removing work in process.

Frame may be raised or lowered at the touch of a button so operator can work comfortably sitting or standing.

Deck adjusts easily from horizontal to vertical position as well as multiple tilting options. Horizontal setting provides operator access to the board from all sides.

#### FEATURES:

- Space-saving compact footprint, 36"d x 72"w
- Deck is 36"d x 72"w, expands to 48"d x 72"w
- Supports boards up to 48"d x 96"w
- Multiple frames can work together to support extra long boards
- 36" to 70" horizontal position height range\*
- 11" to 46" vertical position height range\*
- Manual tilt 0° to 90° in 10° stops
- Programmable switch provides digital height read-out and preset adjustability
- Self-contained linear actuator with integral limit switch, 12 VDC low voltage control
- Gray epoxy powder coat finish [\(Additional colors available\)](#)
- Casters and lag plates available



Load  
Capacity  
350 lbs†

#### PART NO.

#### DESCRIPTION

PHF3672 Wire Harness Board Frame, 36"d x 72"w,  
Electric Lift, Manual Tilt



Load  
Capacity  
350 lbs†

#### PART NO.

#### DESCRIPTION

PHF3672C Wire Harness Board Frame, 36"d x 72"w,  
Electric Lift, Manual Tilt, with (4) locking casters

\* Minimum and maximum height increases by a measure of 4" with  
caster option

† Based on evenly distributed loads

CONTACT US | 989-496-3500

**BOSTONtec**  
□ **B** □ □ □ □



# INDUSTRIAL FEET & CASTERS

See [chart](#) on page 71, for foot and caster ordering information.

WORKSTATION TYPE	LEVELER FEET	UNIVERSAL LOCKING CASTER	MEDIUM DUTY ESD CASTER	UNIVERSAL LEVELING CASTER
AFH	•	•		•
AFHC	•	•		•
PB	•	•	•	•
PBC	•	•	•	•
PBH	•	•		•
PBHC	•	•		•



## Leveler Feet

- Allow user to level workstation on uneven surfaces
- Leveler glides included



## Drop Down Feet

- Unique drop down foot design
- Add casters without increasing starting height of the workstation
- Included with all casters



## Lag Plates

- Compatible with leveler feet
- Plate has four  $\frac{3}{8}$ " holes to bolt to floor (bolts not included)



## Medium Duty ESD Casters

- All 4 locking casters
- Polyolefin core with conductive rubber tread
- 5" overall height; 4" wheel
- Non-marking



## Universal Leveling Casters

- Nylon wheel; rubber leveling pad
- 4" overall height on caster; 4  $\frac{1}{2}$ " overall height on leveler
- 2  $\frac{1}{2}$ " wheel
- Non-marking



## Universal Locking Casters

- All 4 locking casters
- Polyurethane on polyolefin wheel
- 5.12" overall height; 4" wheel
- Non-marking



# Prevent Damages and Ensure Quality

Ergonomic Solutions for Increased Productivity and Employee Safety

View More Details



**SCAN ME**  
Hold camera to  
image



## ESD Workbenches & Stations

BOSTONtec's ESD workbench is an integral part of an ESD protected area (EPA) to prevent ESD damages and costly consequences. It combines ESD safety with ergonomics to ensure product quality, employee well-being, and productivity improvement.

### KEY BENEFITS :

- Prevent product defects and device failures due to damages of sensitive electronics components
- Safeguard company reputation and avoid substantial legal cost related to product quality issues
- Reduce reaching, bending, and twisting associated with electronics assembly and testing tasks
- Improve efficiency by reducing non-value added motions
- Enhance employee satisfaction and morale with ergonomically optimized work space
- Adapt to changes in workforces and work processes easily with modular design and setup



## INDUSTRIAL WORK SURFACES

### Premium Grade Laminate


This highly durable work surface is constructed with a top layer of 1/8" thick laminate over 1 1/8" high density core board.

#### Standard Edge



All four sides are edged with an impact-resistant 3mm thick PVC edging in a complementary color. Finished with a 2mm radius. Brown backer. See [page 55](#) for QuickShip availability.

#### T-Mold



All four sides are edged with a resilient molded dark charcoal color bumper. Rounded corners are formed with a 1 1/4" radius. Brown Backer.



#### Cleanroom

A premium grade laminate work surface with sealed edges and a laminate underside for cleanroom environments. All four sides are edged with an impact-resistant 3mm thick PVC edging in a complementary color. Finished with a 2mm radius. (Typically used in class 100, 1000, and 10000.)

### Electrostatic Discharge (ESD) Version

All surfaces above are also available in an Electrostatic Discharge (ESD) version utilizing a special laminate that reduces electric current transfer on the work surface. Flush ESD grounding bolt is included and swivet connectors are available for grounding.



Grounding Bolt (Swedge)  
included



Swivet Connector  
optional

#### BUILD YOUR PART NUMBER

##### WORK SURFACE PREFIX:

<b>3 MM:</b>	3M	<b>3 MM ESD:</b>	3ME
<b>T-Mold:</b>	TM	<b>T-Mold ESD:</b>	TME
<b>3 MM Cleanroom:</b>	3M-2	<b>3 MM ESD Cleanroom:</b>	3ME-2

# 3M2460

Prefix | Depth & Width

Standard color: Gray  
Additional colors available

**BOSTONtec**



CONTACT US | 989-496-3500




# INDUSTRIAL WORK SURFACES

## Additional Options

Different applications can require specific work surfaces. BOSTONtec offers the most popular options – as well as special requests.

### Stainless Steel




Durable and chemical-resistant, 1 1/2" stainless steel work surfaces are constructed of 304 grade, 14 gauge stainless steel formed over a sealed laminated core board. Work surface comes with a 2B random brushed finish and is non-reflecting.

### Maple



Ideal for areas that must stand repeated wear and tear. Beautifully fabricated with 1 3/4" edge laminated hardwood maple. This surface provides maximum strength and durability and looks good doing it. Also available in a 180° rolled edge.

### Phenolic Resin



Our lab-grade, 1-inch thick phenolic resin work surface is made of thermoset resin composite, ideal for medium-duty applications. It provides high resistance to chemicals, bacteria, corrosion, fungi, and moisture. It can withstand continuous heat exposure up to 350°F. The standard color is black with additional color options available upon request.

Didn't see what you need?  
We've got you covered.

Contact your sales representative today  
for additional work surface options

## BUILD YOUR PART NUMBER

### WORK SURFACE PREFIX:

**Stainless Steel:** SS | **Maple:** MS | **Phenolic Resin:** PR

# MS2460

Prefix      Depth      &      Width

CONTACT US | 989-496-3500

**BOSTONtec**  
☐ **B** ☐ ☐ ☐




## INDUSTRIAL SPECIALTY WORK SURFACES

### Transfer & Rotation

Surface rollers and ball transfers are designed to simplify the moving of heavy loads.

Ball transfers are available in fixed or pneumatic retractable options. Each ball transfer is a self-contained unit capable of handling 10 - 30 lbs and allows the operator to move loads in multiple directions easily. When assembled in an appropriate pattern, they can support loads in excess of 1,000 lbs. Pneumatic ball transfers retract .065" below flange and may be controlled by either foot or hand switch.

A variety of surface roller and ball transfer patterns are available to accommodate differing tasks. Consult your sales representative for assistance in configuring the proper pattern for your application.



*Compatible with all industrial workstations*

CONTACT BOSTONtec FOR ORDERING INFORMATION





# INDUSTRIAL SPECIALTY WORK SURFACES

## Tilting Work Surfaces

Tilt tables improve user ergonomics and productivity by better positioning a task, reducing operator reach and promoting proper posture. Available with a full or split surface tilt in drafting or rotational style. Choice of manual or electric adjustability. Available in laminate and hardwood work surfaces.

### Drafting Style Tilt

Used for applications in which the work surface pivots from its front edge, similar to a drafting table.

### Rotational Tilt

Used for applications where the surface tilts around an axis placed back from the front edge of the surface. Unlike a standard drafting table tilt, the front of the surface will drop as the back rises. This method helps users gain easier access inside large, deep items.

### Manual Tilt

Manual tilt surfaces provide a simple, cost-effective method for adjusting position of smaller surfaces for light duty applications. The manual tilt option provides a ratcheting latch in the back of the work surface that allows the surface to be lifted to the desired tilt up to 30° where the latch will lock into position.

### Electric Tilt

Standard electric tilt up to 60° is available on any style tilting work surface.



*Full Surface Electric Tilt*



*Split Surface Manual Tilt*

CONTACT BOSTONtec FOR ORDERING INFORMATION

CONTACT US | 989-496-3500

BOSTONtec  
B



## INDUSTRIAL SPECIALTY WORK SURFACES

### Additional Specialty Surfaces

BOSTONtec offers customized work surface solutions to meet specific applications.

### Work Surface Cutouts

Surface cutouts can be designed to incorporate drop-in scales, turntables, wiring grommets or other special uses.

All our surfaces can be modified to meet almost any requirement - laminate, stainless steel, hardwood maple, phenolic resin.

Consult your sales representative for assistance.



CONTACT BOSTONtec FOR ORDERING INFORMATION

# ACCESSORIES

UPRIGHTS

SHELVES

COMPUTER ACCESSORIES

POWER & LIGHTS

TOOL SUPPORT

STORAGE

OTHER POPULAR ACCESSORIES



All accessories have a gray epoxy powder coat finish unless noted otherwise. [Additional colors available.](#)

# ACCESSORIES

A wide variety for endless combinations!

30



.....Uprights

32



.....Shelves

37




.....Computer  
Accessories

41



.....Power  
& Lights

46



.....Tool  
Support

50



.....Storage

52



.....Other  
Popular  
Accessories



## NEW!

### Steel Drawer Cabinets

This sleek, upgraded design complements any workspace!

[See listing](#) on page 50, to learn more.

#### FEATURES:

- Full Extension Slides: Enjoy smooth access to the entire drawer depth.
- Increased Capacity: Support up to 100 lbs per drawer and 250 lbs per drawer cabinet.
- Secure Locking System (Optional): Lock multiple drawers with one key.
- Flexible Configuration: Easily swap drawers and slides to meet changing needs.



# Confidence for Sensitive Processes

Enhance Productivity with Ergonomic Solutions

View More Details



**SCAN ME**  
Hold camera to  
image



## Cleanroom Workbenches and Tables

In cleanrooms, it is all about maximizing control of the environment. Workbenches and tables play an essential role in this equation.

### KEY BENEFITS :

- Control your environment with easy-to-clean surfaces and materials
- Increase your productivity with a flexible modular design
- Support your lean initiatives by reducing non-value added motions
- Save cost, by reducing worker injuries
- Support employee engagement with workstation that fits their preferred height
- Reduce downtime thanks to virtually maintenance-free quality and components



## ACCESSORIES UPRIGHTS



### Uprights

- Uprights working in concert with proper accessories provide users with optimal ergonomic reach access and increased [productivity](#)
- Double-slot, double-sided design allows users to place or move accessories in 1" increments without tools
- Mount 33" or 42" above work surface with basic tools
- 1" x 1" channel design provides area to fish wires or air tubes
- Compatible with cantilevered workstation frames
- Include hardware and mounting brackets



### Single Slotted Upright

**CAPACITY: 65 lbs**

- For use with single-mounted accessories such as the [flat panel display arm](#)



PART NO.	DESCRIPTION	WEIGHT
SUP53	Single Slotted Upright	13 lbs

### Single Bay Slotted Uprights, 30" Spacing

**CAPACITY: 250 lbs**

- Accept all above-surface accessories
- Compatible with cantilevered workstations at least 30" wide
- Top cross brace provides added stability

PART NO.	DESCRIPTION	WEIGHT
SBUP53	Single Bay Slotted Upright	24 lbs
SBUP53-30	Single Bay Slotted Uprights for 30"w workstations	24 lbs

**BOSTONtec**



**CONTACT US | 989-496-3500**



## ACCESSORIES UPRIGHTS




### Double Bay Slotted Uprights, 60" Spacing

**CAPACITY: 375 lbs**

- Accept all above-surface accessories
- Compatible with cantilevered workstations at least 60" wide
- Top cross brace provides added stability



PART NO.	DESCRIPTION	WEIGHT
DBUP53	Double Bay Slotted Uprights	38 lbs



### Triple Bay Slotted Uprights, 90" Spacing

**CAPACITY: 375 lbs**

- Accept all above-surface accessories
- Compatible with 96" wide cantilevered workstations
- Top cross braces provide added stability



PART NO.	DESCRIPTION	WEIGHT
TBUP53	Triple Bay Slotted Uprights	48 lbs



## ACCESSORIES SHELVES



SH0830



SH1230



SH1530

### Steel Shelf

**CAPACITY SH0830: 75 lbs**

**CAPACITY SH1230 & SH1530: 100 lbs**

- Allows for placement of items within the [reach zones](#)
- Place or move shelves on uprights without tools
- Shelf brackets allow for mounting flat or at a 15° angle and can extend shelf 2" away from upright
- Can be reversed to place lip on front or back of shelf
- Includes two mounting brackets
- Compatible with single, double and triple bay [uprights](#); [trolley](#) and [standing workstation](#) frames
- Accepts steel shelf divider DIV1215 for additional organization

PART NO.	DESCRIPTION	WEIGHT
SH0830	8"d x 30"w Shelf	4.25 lbs
SH1230	12"d x 30"w Shelf	7.25 lbs
SH1530	15"d x 30"w Shelf	8.5 lbs



### Captured Shelf

**CAPACITY CSH1230, CSH1260, CSH1530, CSH1560: 100 lbs**

**CAPACITY CSH1290, CSH1590: 200 lbs**

- Allows for placement of items within the [reach zones](#)
- Place or move shelves on uprights without tools
- Has 8" tall side and back panels
- Includes two mounting brackets
- Compatible with single, double and triple bay [uprights](#); [trolley](#) and [standing workstation](#) frames
- Accepts steel shelf divider DIV1215 for additional organization

PART NO.	DESCRIPTION	WEIGHT
CSH1230	12"d X 30"w Shelf	18 lbs
CSH1260	12"d X 60"w Shelf	30 lbs
CSH1290	12"d X 90"w Shelf	48 lbs
CSH1530	15"d X 30"w Shelf	21 lbs
CSH1560	15"d X 60"w Shelf	35 lbs
CSH1590	15"d X 90"w Shelf	55 lbs





## ACCESSORIES SHELVES

### Adjustable Shelf with Tilt

**CAPACITY: 150 lbs**

- Tilting shelf reduces wrist strain when users repeatedly reach for objects
- Place or move shelf on uprights without tools
- Raised edges help hold items in place on incline
- Adjustable tilt, 0° to 25°
- Includes mounting brackets
- AS models compatible with single, double and triple bay [uprights](#); and [standing workstation](#) frames
- ATS models compatible with [trolley frames](#)
- Accepts adjustable shelf divider ASD18 or ASD24 for organization



PART NO.	DESCRIPTION	WEIGHT
AS1828	18" x 28" Shelf	11 lbs
AS2428	24" x 28" Shelf	14 lbs
ATS1828	18" x 28" Trolley Shelf	11 lbs
ATS2428	24" x 28" Trolley Shelf	14 lbs



### Steel Shelf Divider

- Divides and holds items in place
- Mounts on standard SH1230 and SH1530 steel shelves and [under work surface shelving](#) systems
- Simple clip-on design can be secured with a screw
- Infinitely adjustable spacing
- 11 <sup>3</sup>/<sub>4</sub>"d x 7 <sup>1</sup>/<sub>2</sub>"h



PART NO.	DESCRIPTION	WEIGHT
DIV1215	Steel Shelf Divider	2 lb




### Adjustable Shelf Divider

- Divides and holds items in place
- <sup>3</sup>/<sub>8</sub>" diameter steel divider rod
- Infinitely adjustable spacing
- 18" fits AS1828 and ATS1828 shelves
- 24" fits AS2428 and ATS2428 shelves

PART NO.	DESCRIPTION	WEIGHT
ASD18	8"h x 18"d Adjustable Shelf Divider	1 lb
ASD24	12"h x 24"d Adjustable Shelf Divider	1 lb



## ACCESSORIES SHELVES



Shown with optional CSSDIV

### Corrugate Storage Shelf

**CAPACITY CSS1530: 100 lbs**

**CAPACITY CSS1560, CSS1590: 150 lbs**

Holds multiple sizes of corrugate boxes - Ideal for packing and shipping workstations

- Accepts optional  $\frac{3}{8}$ " CSSDIV rod dividers and CSSDIVP panel dividers
- Includes mounting brackets

QTS  
QTS  
QTS

PART NO.	DESCRIPTION	WEIGHT
CSS1530	15" x 30" Shelf	17 lbs
CSS1560	15" x 60" Shelf	30 lbs
CSS1590	15" x 90" Shelf	46 lbs
CSSDIV	12" Corrugate Shelf Divider	1 lb
CSSDIVP	12" Solid Panel Divider	4 lbs



### Overhead Storage Cabinet

**CAPACITY: 75 lbs**

- Provides additional secure storage space for reference materials and other items
- Flip up door
- Includes key lock
- 16"h x 14  $\frac{3}{8}$ "d x 30"w

PART NO.	DESCRIPTION	WEIGHT
SC1630	Storage Cabinet	35 lbs



### Work Surface Riser

**CAPACITY: 200 lbs**

- Provides additional work surface space as needed
- Slotted upright supports (included) mount to cantilevered workstations and accept accessories
- Includes 3mm laminate surface with brackets
- Maximum clearance under shelf: 18"

PART NO.	DESCRIPTION	WEIGHT
WSR1236	12" x 36" Work Surface Riser	16 lbs
WSR1248	12" x 48" Work Surface Riser	21 lbs
WSR1260	12" x 60" Work Surface Riser	31 lbs
WSR1272	12" x 72" Work Surface Riser	36 lbs
WSR1296	12" x 96" Work Surface Riser	42 lbs



## ACCESSORIES SHELVES

### Steel Foot Shelf

**CAPACITY: 150 lbs**

- Holds corrugate boxes - Ideal for oversized boxes
- Mounts on cantilevered base frames; sets on top of feet



### Steel Foot Shelf for Medium Duty Workstation

- Available for 36", 48", 60", and 72" PB base frames
- Available with or without slots for optional (CFSDIV) rod dividers

PART NO.	DESCRIPTION	WEIGHT
FS1336	13" x 36" Foot Shelf	12 lbs
FS1348	13" x 48" Foot Shelf	16 lbs
FS1360	13" x 60" Foot Shelf	20 lbs
FS1372	13" x 72" Foot Shelf	24 lbs
FSD1336	13" x 36" Foot Shelf with Slots	12 lbs
FSD1348	13" x 48" Foot Shelf with Slots	16 lbs
FSD1360	13" x 60" Foot Shelf with Slots	20 lbs
FSD1372	13" x 72" Foot Shelf with Slots	24 lbs

### Steel Foot Shelf for Heavy Duty Workstation

- Available for 36", 48", 60", and 72" PBH and AFH base frames
- Available with or without slots for optional (CFSHDIV) rod dividers

PART NO.	DESCRIPTION	WEIGHT
FSH1136	11" x 36" Foot Shelf	13 lbs
FSH1148	11" x 48" Foot Shelf	17 lbs
FSH1160	11" x 60" Foot Shelf	21 lbs
FSH1172	11" x 72" Foot Shelf	25 lbs
FSHD1136	11" x 36" Foot Shelf with Slots	13 lbs
FSHD1148	11" x 48" Foot Shelf with Slots	17 lbs
FSHD1160	11" x 60" Foot Shelf with Slots	21 lbs
FSHD1172	11" x 72" Foot Shelf with Slots	25 lbs

### Corrugate Storage Divider (Optional)

- Add Corrugate Storage Dividers to separate and holds items
- Use in conjunction with corresponding part numbers above
- $\frac{3}{8}$ " diameter steel divider rod

PART NO.	DESCRIPTION	WEIGHT
CFSDIV	13"d x 12"h Corrugate Storage Divider	1 lb
CFSHDIV	11"d x 12"h Corrugate Storage Divider	1 lb



## ACCESSORIES SHELVES

### Under Work Surface Shelving System

**CAPACITY: 100 lbs**

- Provides additional storage space for occasional use items
- Mounts under all laminate and hardwood work surfaces at least 30" deep
- Steel shelves adjust in 1" increments
- System ships with one shelf - Additional shelves can be purchased as needed
- Accepts steel shelf divider [DIV1215](#) for additional organization



Shown with additional shelf

### Manual Height Adjustable Workstation Shelf System

- Includes two side panels and one shelf
- For [AFH](#) workstation models, decrease width by one size (Ex. For an AFH3648 workstation, order UWS1436)

PART NO.	COMPATIBILITY	WEIGHT
UWS1436	AFH3648 with feet	25 lbs
UWS1448	AFH3660 with feet	30 lbs
UWS1460	AFH3672 with feet	35 lbs
UWS1472	AFH3684 with feet	40 lbs
UWSDDF1436	AFH3648 with casters	23 lbs
UWSDDF1448	AFH3660 with casters	28 lbs
UWSDDF1460	AFH3672 with casters	33 lbs
UWSDDF1472	AFH3672 with casters	38 lbs

### Electric Height Adjustable Shelf System

- Includes two side panels, a safety back panel and one shelf
- Compatible with [PB](#) workstation models
- For [PBH](#) workstation models, decrease width by one size (Ex. For a PBH3672 workstation, order UWSBP1460)

PART NO.	COMPATIBILITY	WEIGHT
UWSBP1436	PB workstations at least 36" wide with feet	32 lbs
UWSBP1448	PB workstations at least 48" wide with feet	40 lbs
UWSBP1460	PB workstations at least 60" wide with feet	48 lbs
UWSBP1472	PB workstations at least 72" wide with feet	56 lbs
UWSBPDDF1436	PB workstations at least 36" wide with casters	30 lbs
UWSBPDDF1448	PB workstations at least 48" wide with casters	38 lbs
UWSBPDDF1460	PB workstations at least 60" wide with casters	46 lbs
UWSBPDDF1472	PB workstations at least 72" wide with casters	54 lbs

### Additional Shelf (Optional)

- Add an additional shelf to an under work surface shelving system
- Use in conjunction with corresponding part numbers above
- For [PBH](#) and [AFH](#) workstation models, decrease width by one size (Ex. For a PBH3672 workstation, order WS1460)

PART NO.	DESCRIPTION	WEIGHT
WS1436	14"d x 36"w, Single shelf for 36" wide stations	12 lbs
WS1448	14"d x 48"w, Single shelf for 48" wide stations	16 lbs
WS1460	14"d x 60"w, Single shelf for 60" wide stations	20 lbs
WS1472	14"d x 72"w, Single shelf for 72" wide stations	24 lbs





## ACCESSORIES

# COMPUTER ACCESSORIES



### Pneumatic Height Adjustable Flat Screen Monitor Arm

**CAPACITY: 15.5 lbs**

- Provides optimum flexibility to move monitor into position
- Has tilt adjustability for improved viewing angle
- Holds monitor securely in place
- Height adjustability range = 11"
- Extension adjustability range = 22"



PART NO.	DESCRIPTION	WEIGHT
PFSMA	Pneumatic Height Adjustable Flat Screen Monitor Arm	7 lbs




### Articulating Flat Screen Monitor Arm

**CAPACITY: 18 lbs**

- Allows operator to swing monitor out of way when not in use
- Holds monitor securely in place
- Extension adjustability range = 18"



PART NO.	DESCRIPTION	WEIGHT
FPDA	Articulating Flat Screen Monitor Arm	7 lbs



### Articulating Combined Monitor and Keyboard Arm

**CAPACITY: 20 lbs**

- Allows operator to position both monitor and keyboard together then swing out of way when not in use
- Monitor has tilt adjustability for improved viewing angle
- Keyboard platform rotates for easy adjustment
- Tray size 9"d x 18 1/2"w
- 4" vertical adjustment
- Single arm allows 17" total extension from uprights (MKBAAS)
- Double arms allow 29" total extension from uprights (MKBAAD)

PART NO.	DESCRIPTION	WEIGHT
MKBAAS	Combined Monitor and Keyboard Single Arm	15 lbs
MKBAAD	Combined Monitor and Keyboard Double Arm	17 lbs



## ACCESSORIES

# COMPUTER ACCESSORIES



PART NO.	DESCRIPTION	WEIGHT
PKBAA	Pneumatic Height Adjustable Keyboard Tray w/Mouse Platform	15.5 lbs

### Pneumatic Height Adjustable Keyboard Tray with Mouse Platform

**CAPACITY: 20 lbs**

- Provides optimum flexibility to move keyboard into ergonomic position
- Keyboard tray rotates for easy adjustment
- Holds tray securely in place
- Tray includes 2" padded ergonomic wrist support strip for operator comfort
- Height adjustability range = 11"
- Extension adjustability range = 22"
- Keyboard tray is 10 ½"d x 19"w; Mouse platform is 8 ¾" diameter



PART NO.	DESCRIPTION	WEIGHT
KBAA	Articulating Keyboard Tray w/Mouse Platform	11 lbs

### Articulating Keyboard Tray with Mouse Platform

**CAPACITY: 18 lbs**

- Allows operator to swing keyboard tray out of way when not in use
- Keyboard tray rotates for easy adjustment
- Holds tray securely in place
- Tray includes 2" padded ergonomic wrist support strip for operator comfort
- Extension adjustability range = 18"
- Keyboard tray is 10 ½"d x 19"w; Mouse platform is 8 ¾" diameter



PART NO.	DESCRIPTION	WEIGHT
UWKMS	Under Work Surface Keyboard Tray w/Sliding Mouse Platform	19 lbs

### Under Work Surface Keyboard Tray with Sliding Mouse Platform

**CAPACITY: 15 lbs**

#### Keyboard Tray

- Mounts under all PB workstations with work surface depths of 30" or greater, and any PBH, AFH, and technical workstations
- 18" track allows operator to access or stow as needed
- 0°-15° tilt
- 7" height adjustability
- Tray size 10.625"d x 19"w
- Includes 19" Technogel palm support

#### Mouse Platform

- 9" diameter
- 8" slide adjustment
- Left/right adaptable slide mount to suit user preference



## ACCESSORIES

# COMPUTER ACCESSORIES



### Under Work Surface Keyboard and Mouse Platform

#### CAPACITY: 15 lbs

- Mounts under all PB workstations with work surface depths of 30" or greater, and any PBH, AFH, and technical workstations
- 18" track allows operator to access or stow as needed
- 0°-15° tilt
- 7" height adjustability
- Tray size 10.625"d x 27"w
- Includes 27" Technogel palm support
- Built-in left/right mouse area



PART NO.	DESCRIPTION	WEIGHT
UWKMP	Under Work Surface Keyboard and Mouse Platform	19 lbs



### Pull-Out Keyboard Tray

#### CAPACITY: 40 lbs

- 13" slides allows operator to access or stow as needed
- 2 ¼" height clearance for keyboard

#### 14" Deep Tray:

- Mounts under all laminate and hardwood work surfaces
- Full extension ball bearing slides

#### 18" Deep Tray:

- Mounts under all laminate and hardwood work surfaces at least 30" deep
- ¾" extension ball bearing slides

PART NO.	DESCRIPTION	WEIGHT
POK2114	14"d x 21"w Pull-Out Keyboard Tray	13 lbs
POK2118	18"d x 21"w Pull-Out Keyboard Tray	16 lbs



### Articulating Platform Arm

#### CAPACITY: 40 lbs

- Provides easy, quick access to items then swings out of way when not in use
- Rotates 360°
- Extension adjustability range = 22" (to platform center)

PART NO.	DESCRIPTION	WEIGHT
PH1313	13" x 13" Platform	10 lbs
PH1322	13" x 22" Platform	11 lbs



## ACCESSORIES

## COMPUTER ACCESSORIES



CPU12



CPU20

## Under Work Surface CPU Holders

**CAPACITY CPU12: 15 lbs****CAPACITY CPU20: 50 lbs**

- Securely holds CPU off of floor and provides easy access when needed
- Easy installation via Quick Lock Technology
- Adjusts to fit CPUs 1"-5"w by 6"-12"h (CPU12)
- Adjusts to fit CPUs 3½"-9"w by 12"-20"h (CPU20)
- Slides smoothly on nylon glides in 16" track
- 360° degree swivel allows access to cables and ports
- Mounts under all laminate and hardwood work surfaces at least 30"d

	PART NO.	DESCRIPTION	WEIGHT
Q1S	CPU12	CPU Holder	9 lbs
Q1S	CPU20	CPU Holder	11 lbs



## CPU Holder - Thin Client

**CAPACITY: ≤ 10 lbs (Upright mounted)****CAPACITY: ≤ 15 lbs (Monitor plus CPU total)**

- Wrap around design provides easy access when needed
- Mounts on standard uprights
- Standard VESA mounting pattern (75 x 75mm and 100 x 100mm sizes)
- Upright mounting brackets included
- Security strap included
- Screws to mount to monitor are included
- Adjusts to fit CPUs 1¼"-2½"d x 4"-8"h (suggested min-max width: 4 ½"-10")
- Color: Black
- See BOSTONtec monitor arms for more information

	PART NO.	DESCRIPTION	WEIGHT
Q1S	CPUTC	CPU Holder Thin Client	3 lbs

BOSTONtec



CONTACT US | 989-496-3500



## ACCESSORIES POWER & LIGHTS



PWRBAR815SB



PWRBAR820SB



PART NO.	DESCRIPTION	WEIGHT
PWRBAR815SB	Horizontal 8-Outlet Power Bar, 15A	6 lbs
PWRBAR820SB	Horizontal 8-Outlet Power Bar, 20A	6 lbs

### 8-Outlet Horizontal Power Bars

- Keeps power within reach for easy end of day shut down of tools and lights
- Mounts on standard uprights at any horizontal position, front or back
- Standard black powder coat finish
- 8 AC power outlets (120 VAC, 15A or 20A)
- Circuit breaker and lighted on/off switch
- UL and CSA listed and approved
- Cord length: 15 feet
- Locking brackets secure power bar to uprights
- Locking plug cord options available upon request



PART NO.	DESCRIPTION	WEIGHT
HPBWM	Power Bar Work Surface Mount (Pair)	1 lb

### Horizontal Power Bar Work Surface Mount


- Mounts power bar to work surface for easy access, no uprights required
- Mounts above or below work surface



PART NO.	DESCRIPTION	WEIGHT
PB6OUTH	Horizontal Power Bar	4 lbs
PB6OUTV	Vertical Power Bar	4 lbs

### 6-Outlet Power Bars

- Keeps power within reach for easy end of day shut down of tools and lights
- Extruded aluminum housing
- 6 AC power outlets (115 VAC 15A)
- Circuit breaker and lighted switch
- UL and CSA listed and approved
- Length of power cord: 15 feet
- Horizontal power bar mounts to underside of work surface
- Vertical power bar mounts on standard uprights



PART NO.	DESCRIPTION	WEIGHT
WT0210	Wire Management Trough	10 lbs

### Wire Management Trough

**CAPACITY: 10 lbs**

- Keeps electrical wires off surface providing additional work space
- Hides wires for neater workstation appearance
- Optional forward or backward facing mount
- Mount below work surface and behind workstation to further conceal wires
- 10"h x 30"w





## ACCESSORIES

# POWER & LIGHTS



Includes 5 ea.

### Wire Management Kit

Small black magnetic tie mounts and standard black zip ties in zip bag


PART NO.	DESCRIPTION
WMK	Wire Management Kit



### Air Outlet Mounting Plate

- Mounts on top or underside of work surface or powerbar ([PWRBAR815SB](#)/[PWRBAR820SB](#))
- Plate supports three air outlets
- Customer to determine mounting location and drill holes

PART NO.	DESCRIPTION	WEIGHT
AIR	Air Mounting Plate	1 lb



Includes LED light bulbs



### LED Overhead Light

- Provides additional lighting directly over work surface
- Includes "L" bracket and tool track for mounting light
- Support extends up to 18" from uprights
- 4000 Kelvin temperature
- 2-bulb is available in 56" long housing
- 4-bulb is available in 32" and 56" long housing
- Optional open grate parabolic filter directs light over the work surface (Shown in inset.)
- Pair with power bar [PWRBAR815SB](#) or [PWRBAR815SB](#) for convenient on/off feature

QTS  
QTS  
QTS

PART NO.	DESCRIPTION
LED243248	LED Overhead Light (4) 24" Bulbs, 48" Tool Track
LED225660	LED Overhead Light (2) 48" Bulbs, 60" Tool Track
LED225672	LED Overhead Light (2) 48" Bulbs, 72" Tool Track

#### Optional Parabolic Filter

PART NO.	DESCRIPTION	WEIGHT
LEDPF32	Parabolic Filter for 32" Housing	1 lb
LEDPF56	Parabolic Filter for 56" Housing	1 lb

#### BUILD YOUR PART NUMBER

# LED2256P60

Prefix

Length of housing

Length of tool track

Number of bulbs    Parabolic filter (optional)

BOSTONtec



CONTACT US | 989-496-3500



## ACCESSORIES POWER & LIGHTS



### Task Light

- Additional light for detailed tasks; reduces eye strain
- 12-watt LED light
- Comes with standard 5000 Kelvin temperature;
- Electronic ballast
- Extension adjustability range = 35"
- On and off buttons on lamp head
- Touch DIM and multi-function switch
- Includes work surface edge mounting clamp and upright mounting clamp [WTLM](#)
- CE and ETL listed

PART NO.	DESCRIPTION	WEIGHT
WTL136	Waldmann Task Light	4.4 lbs



LTLM

WTLM

### Task Light Mounting Clamps

- Mount Waldmann or Luxo lamps to uprights saving work surface space
- Adjust vertically in 1" increments
- Include clamp assembly only

PART NO.	DESCRIPTION	WEIGHT
WTLM	Waldmann Task Light Mounting Clamp	3 lbs
LTLM	Luxo Task Light Mounting Clamp	2 lbs



SLS24S

SLS24A

### Standard LED Under Shelf Light

- 3500 K light color
- 24" light: 72 LEDs, 700 lumens; 44" light: 132 LEDs, 1313 lumens
- 40-watt power supply
- Built-in on/off switch with 100%-15% dimming capability
- Screw, magnetic mounting clips, and wire management included
- 10' power cord. Adder option includes 18" jumper cord

PART NO.	DESCRIPTION	WEIGHT
SLS24S	24"w Task Light Starter	3 lbs
SLS24A	24"w Task Light Adder	3 lbs
SLS44	44"w Task Light	5 lbs



## ACCESSORIES POWER & LIGHTS



### Premium LED Under Shelf Light

- 3500 K light color
- 24" light: 36 LEDs, 721 lumens; 44" light: 72 LEDs, 1446 lumens
- 60-watt power supply
- Built-in on/off switch with 100%-15% dimming capability
- Screw, magnetic mounting clips, and wire management included
- 11' power cord. Adder option includes 8" and 30" jumper cords


PART NO.	DESCRIPTION	WEIGHT
SLP24S	24"w Task Light Starter	3 lbs
SLP24A	24"w Task Light Adder	3 lbs
SLP44	44"w Task Light	5 lbs



### Max Magnifier

- Uses three 3.5-watt LED modules for two light levels
- 3 diopter primary lens included, tilts independently of the light for optimal positioning
- 4 and 4-12 diopter accessory lens available
- Extension adjustability range = 43"
- Includes work surface edge mounting clamp and upright mounting clamp [WTLM](#)
- ETL listed

PART NO.	DESCRIPTION	WEIGHT
WPML26	Max Magnification Lamp	31 lbs
WPM4	Max 4 Diopter Accessory Lens	3 lbs
WPM412	Max 4-12 Diopter Accessory Lens	3 lbs



### LED Ring Magnifier

- 12-watt LED technology
- Includes 3.5 diopter primary lens
- Extension adjustability range = 37"
- Includes work surface edge mounting clamp and upright mounting clamp [WTLM](#)

PART NO.	DESCRIPTION	WEIGHT
RMLED	LED Circular Magnification Lamp	5 lbs



# Increase Your Productivity

How Assembly Workstations Can Help Improve Speed and Accuracy

View More Details



**SCAN ME**  
Hold camera to  
image



## Ergonomic Assembly Workstations and Workbenches

Mechanical or electronic assembly, inspection, testing and quality control activities can be performed faster and safer utilizing a properly designed assembly workbench.


### KEY BENEFITS :

- Reduce non-value added motions and improve efficiency
- Prevent work-related musculoskeletal disorders (WMSD) by minimizing exposure to ergonomic risks
- Adjust to specific work processes with modular workstation design
- Meet individual task and operator needs with adjustable workbench and accessories
- Attract and retain employees with enhanced comfort and safety at the workplace



## ACCESSORIES

# TOOL SUPPORT




### Overhead Tool Support

**CAPACITY: 35 lbs**

- Provides support for tool trolley and tool balancer
- Includes "L" brackets for mounting to uprights

PART NO.	DESCRIPTION	WEIGHT
OTS36	36" Rail	16 lbs
OTS48	46" Rail	17 lbs
OTS60	60" Rail	18 lbs
OTS72	70" Rail	19 lbs
OTS96	94" Rail	32 lbs



### Auxiliary Tool Track

**CAPACITY: 35 lbs**

- Mounts on overhead tool tracks OTS and [LED](#) light models
- Provides support for tool trolley and tool balancer
- Does not include "L" brackets

PART NO.	DESCRIPTION	WEIGHT
ATT36	36" Rail	5 lbs
ATT48	46" Rail	6 lbs
ATT60	60" Rail	7 lbs
ATT72	70" Rail	8 lbs
ATT96	94" Rail	11 lbs



### Tool Trolley

- Fits standard tool rail OTS and ATT tool track models
- Supports TBBD03 tool balancer
- Color: Black

### Tool Balancer

**CAPACITY: 1.5 - 3 lbs Balance Range**


- 360° rotation swivel mount
- Palm hand wheel adjustment
- Push button tension release
- Nylon covered steel cable assembly
- Adjustable drag brake fine tunes balancing
- Adjustable bail stop on cable
- Color: Black

PART NO.	DESCRIPTION	WEIGHT
TBT	Tool Balancer Trolley	2 lbs
TBBD03	Tool Balancer	1 lb





## ACCESSORIES TOOL SUPPORT



### Upright Mounted Scanner Bracket

- Helps keep scanner within easy reach
- The 1.57" wide opening fits most handheld scanners
- Easily adjusted bracket positioning (Left/right side mount adaptable)


PART NO.	DESCRIPTION	WEIGHT
UMSB	Upright Mounted Scanner Bracket	2 lbs



### Power Tool Holder

- Helps keep power tools within easy reach
- Fits most handheld drills and impact drivers
- Easily adjusted holder positioning
- Attaches to all work surface options and workstations
- Compatible with SS and WSR shelving (Max. of 2 holders per shelf)

PART NO.	DESCRIPTION	WEIGHT
PTH	Power Tool Holder	2 lbs



### Bin Rail

**CAPACITY: 40 lbs**

- Keeps small items sorted and within reach
- Supports assorted size storage bins
- Horizontal or 15° forward-tilted positioning for easy bin access
- 29"w x 4"h



PART NO.	DESCRIPTION	WEIGHT
BR0429	Bin Rail	4 lbs



### Solder Spool Holder

- Holds one roll of solder or wire
- Mounts on bin rail BR0429
- Multiples can mount side by side

PART NO.	DESCRIPTION	WEIGHT
SSH	Solder Spool Holder	.25 lbs



### Chemical and Tool Tray

- Holds standard small bottles of chemicals and small hand tools
- Mounts on bin rail BR0429
- 5"w x 5"d box, 12"w x 5"d overall
- Multiples can mount side by side

PART NO.	DESCRIPTION	WEIGHT
CTT512	Chemical and Tool Tray	1 lb



## ACCESSORIES TOOL SUPPORT



### Bin Rail Wipe and Tissue Holder

- Keeps cleaning wipes within reach
- Mounts on bin rail BR0429
- Holds one standard wipe or tissue package
- Tissue box can be inverted enabling tissues to be removed downward

PART NO.	DESCRIPTION	WEIGHT
KWH000	Wipe Holder	.5 lbs



### Articulating Bin Holder

**CAPACITY: 40 lbs**

- Places small items within reach when needed, then swing out of the way when not in use
- Supports assorted size storage bins
- Three bin support rails are permanently positioned
- Bin support panel swivels
- Mounts on right or left side of uprights
- 18"w x 14"h
- Extension adjustability range = 24"

PART NO.	DESCRIPTION	WEIGHT
BH1420	Articulating Bin Holder	9 lbs



### Keyboard Tray for Bin Rail Mount

**CAPACITY: 6 lbs**

- Attaches to bin rail [BR0429](#) to support a standard keyboard at a 15° tilt
- Tray size 7" d x 19"w

PART NO.	DESCRIPTION	WEIGHT
KT1907S	Keyboard Tray for Bin Rail	3 lbs



### Overhead Spool Holder

**CAPACITY: 50 lbs**

- Keeps bubble wrap easily accessible to operator
- 30" rod length for uprights [SBUP53](#); 60" rod length for [DBUP53](#) and [TBUP53](#)
- Accepts rolls up to 36" in diameter
- Compatible with [trolleys](#)

PART NO.	DESCRIPTION	WEIGHT
OSH3030	30" Overhead Spool Holder	15 lbs
OSH3060	60" Overhead Spool Holder	18 lbs



## ACCESSORIES TOOL SUPPORT




### Peg Board

**CAPACITY: 40 lbs**

- Helps keep tools, keys and other supplies within reach and frees up work space
- Accepts standard peg board accessories
- Includes mounting brackets



PART NO.	DESCRIPTION	WEIGHT
BS2428P	24" x 28" Peg Board	4 lbs




### Paper Holder and Cutter

**CAPACITY: 75 lbs**

- Convenient all-in-one holder/cutter for packing and wrapping paper
- Accepts rolls up to 30" wide and 9" diameter

PART NO.	DESCRIPTION	WEIGHT
PHC830	Paper Holder and Cutter	10 lbs



### Label Holder Trough

**CAPACITY: 40 lbs**

- Perfect for holding label rolls, cleaning supplies, small tools and other necessities
- Keeps items off surface providing additional work space
- 5"h x 5"d x 30"w

PART NO.	DESCRIPTION	WEIGHT
LH0530	Label Holder Trough	10 lb



### Spool/Label Roll Holder Rod

**CAPACITY: 50 lbs**

- Holds rolls of tape or labels
- 3/4" tube



PART NO.	DESCRIPTION	WEIGHT
SHR830	Spool Holder Rod	1 lb




## ACCESSORIES STORAGE

### Steel Drawer Cabinets

**CAPACITY SINGLE DRAWER: 100 lbs**

**CAPACITY CABINET BOX: 250 lbs**

- Full extension ball bearing drawer slides
- Easy swap drawer and slide design offers flexibility to meet changing needs
- Includes mounting brackets
- Locking option available
- 12" h drawer accommodates standard hanging files
- Contact BOSTONtec for compatibility details and additional configuration options



DR1212



DR180612

### Single Drawer Cabinet

	PART NO.	DESCRIPTION	WEIGHT
	DR0303L	(1) 3" h Drawer, 3" h x 18" d x 12" w, Locking	26 lbs
QTS	DR0303	(1) 3" h Drawer, 3" h x 18" d x 12" w, Non-Locking	26 lbs
	DR0606L	(1) 6" h Drawer, 6" h x 18" d x 12" w, Locking	32 lbs
QTS	DR0606	(1) 6" h Drawer, 6" h x 18" d x 12" w, Non-Locking	31 lbs
	DR1212L	(1) 12" h Drawer, 12" h x 18" d x 12" w, Locking	44 lbs
QTS	DR1212	(1) 12" h Drawer, 12" h x 18" d x 12" w, Non-Locking	43 lbs
	DRS0303L	(1) 3" h Drawer, 3" h x 14" d x 12" w, Locking	19 lbs
	DRS0303	(1) 3" h Drawer, 3" h x 14" d x 12" w, Non-Locking	19 lbs
	DRS0606L	(1) 6" h Drawer, 6" h x 14" d x 12" w, Locking	25 lbs
	DRS0606	(1) 6" h Drawer, 6" h x 14" d x 12" w, Non-Locking	24 lbs
	DRS1212L	(1) 12" h Drawer, 12" h x 14" d x 12" w, Locking	35 lbs
	DRS1212	(1) 12" h Drawer, 12" h x 14" d x 12" w, Non-Locking	35 lbs

### Popular Drawer Cabinet Configurations

	PART NO.	DESCRIPTION	WEIGHT
	DR120606L	(2) 6" h Drawers Stacked, 12" h x 18" d x 12" w, Locking	49 lbs
QTS	DR120606	(2) 6" h Drawers Stacked, 12" h x 18" d x 12" w, Non-Locking	49 lbs
	DR18060606L	(3) 6" h Drawers Stacked, 18" h x 18" d x 12" w, Locking	65 lbs
QTS	DR18060606	(3) 6" h Drawers Stacked, 18" h x 18" d x 12" w, Non-Locking	64 lbs
	DR21030612L	(1) 3" h, (1) 6" h, and (1) 12" h Drawers Stacked, 21" h x 18" d x 12" w, Locking	73 lbs
QTS	DR21030612	(1) 3" h, (1) 6" h, and (1) 12" h Drawers Stacked, 21" h x 18" d x 12" w, Non-Locking	72 lbs
	DR180612L	(1) 6" h Drawer and (1) 12" h Drawer Stacked, 18" h x 18" d x 12" w, Locking	62 lbs
QTS	DR180612	(1) 6" h Drawer and (1) 12" h Drawer Stacked, 18" h x 18" d x 12" w, Non-Locking	61 lbs
	DRS120606L	(2) 6" h Drawers Stacked, 12" h x 14" d x 12" w, Locking	38 lbs
	DRS120606	(2) 6" h Drawers Stacked, 12" h x 14" d x 12" w, Non-Locking	37 lbs
	DRS18060606L	(3) 6" h Drawers Stacked, 18" h x 14" d x 12" w, Locking	52 lbs



## ACCESSORIES STORAGE



DRS18060606L

### Popular Drawer Cabinet Configurations ...continued

PART NO.	DESCRIPTION	WEIGHT
DRS18060606	(3) 6"h Drawers Stacked, 18"h x 14"d x 12"w, Non-Locking	51 lbs
DRS21030612L	(1) 3"h, (1) 6"h, and (1) 12"h Drawers Stacked, 21"h x 14"d x 12"w, Locking	57 lbs
DRS21030612	(1) 3"h, (1) 6"h, and (1) 12"h Drawers Stacked, 21"h x 14"d x 12"w, Non-Locking	56 lbs
DRS180612L	(1) 6"h Drawer and (1) 12"h Drawer Stacked, 18"h x 14"d x 12"w, Locking	49 lbs
DRS180612	(1) 6"h Drawer and (1) 12"h Drawer Stacked, 18"h x 14"d x 12"w, Non-Locking	48 lbs

#### BUILD YOUR PART NUMBER

**DR:** Steel Drawers (18"d)

**DRS:** Steel Drawers (14"d)

**DR-L:** Locking Steel Drawers (18"d)

**DRS-L:** Locking Steel Drawers (14"d)

**Drawer heights:** 3" | 6" | 12"

**Drawer depths:** 14" | 18"

**Drawer widths:** 12"

**Cabinet box sizes:** 3" | 6" | 12" | 18" | 21"

*Additional sizes available upon request*

# DR18060606L

Prefix

Cabinet  
box size

Drawer  
sizes

Locking



### Steel Pull-Out Work Surface

**CAPACITY: 40 lbs**

- Provides on-demand additional work surface space
- Mounts under work surfaces at least 30" deep
- $\frac{3}{4}$ " extension ball bearing slides allows surface to extend 13  $\frac{1}{2}$ "

PART NO.	DESCRIPTION	WEIGHT
PO1118	Work Surface Pullout 11" x 18"	10 lbs

CONTACT US | 989-496-3500


**BOSTONtec**





## ACCESSORIES

## OTHER POPULAR ACCESSORIES

**Articulating Document Holder****CAPACITY: 15 lbs**

- Allows user to properly place printed materials to improve neck posture
- Mounts on left or right side of uprights
- Tilt adjustment: 20° to 90°
- Extension adjustability range = 24"

PART NO.	DESCRIPTION	WEIGHT
DH1111	11" x 11" Document Holder	7 lbs
DH1420	14" x 20" Document Holder	8 lbs

**Clothes Hanger Arm****CAPACITY: 25 lbs**

- Add to workstation uprights or trolley to hang garments for packaging or returns
- Swivels out of way when not in use
- Extension = 11"

PART NO.	DESCRIPTION	WEIGHT
URCH	11" Clothes Hanger Rod	1 lb

**Work Surface Backstop**

- Helps keep items on work surface and within reach
- 6" high backstop for the rear of work surface
- Backstops are 2" less than work surface width
- Compatible with premium laminate 3M, post formed PF, stainless steel SS, and maple MS work surfaces
- Contact BOSTONtec for phenolic resin option PR

PART NO.	DESCRIPTION	WEIGHT
BS0636	34"w for 36"w work surface	8 lbs
BS0648	46"w for 48"w work surface	10 lbs
BS0660	58"w for 60"w work surface	13 lbs
BS0672	70"w for 72"w work surface	15 lbs


\* Add "T" to end of part number for T-Mold work surfaces

**BOSTONtec****CONTACT US | 989-496-3500**



## ACCESSORIES


## OTHER POPULAR ACCESSORIES

**Tackable Backscreen**

- Tackable light gray fabric panel (Other colors available on request)
- Steel frame
- Includes mounting brackets
- Available with ESD fabric

QIS

PART NO.	DESCRIPTION	WEIGHT
BS2428	24" x 28" Backscreen	4 lbs
BSE2428	24" x 28" ESD Backscreen	4 lbs

**Whiteboard**

- White dry erase board
- Steel frame
- Includes mounting brackets
- Available in magnetic

QIS

PART NO.	DESCRIPTION	WEIGHT
BS2428W	24" x 28" Whiteboard	4 lbs
BS2428M	24" x 28" Magnetic Whiteboard	4 lbs



## ACCESSORIES

## OTHER POPULAR ACCESSORIES

**Attached Footrest**

- Provides consistent ergonomic comfort when sitting
- Mounts on cantilevered workstations
- Finished with textured black powder coat paint for slip resistant surface



AFR Model



PBFR Model

**Retrofitted and Factory Installed**

- Compatible with AFH, PB & PBH model workstations
- Fixed 15° tilt
- Adjustable on workstation foot; slides front to back

PART NO.	DESCRIPTION	WEIGHT
AFR1236	12" x 24" Platform on 36" Base	14 lbs
AFR1248	12" x 30" Platform on 48" Base	18 lbs
AFR1260	12" x 48" Platform on 60" Base	22 lbs
AFR1272	12" x 48" Platform on 72" Base	26 lbs

**Factory Installed Only**

- Compatible with PB model workstations
- Adjustable tilt up to 30°
- For workstations with casters, consult your sales representative

PART NO.	DESCRIPTION	WEIGHT
PBFR1036	8" x 24"	16 lbs
PBFR1048	8" x 36"	20 lbs
PBFR1060	8" x 48"	24 lbs
PBFR1072	8" x 60"	29 lbs

**Factory Installed Only**

- Compatible with AFH and PBH model workstations
- Adjustable tilt up to 30°
- For workstations with casters, consult your sales representative

PART NO.	DESCRIPTION	WEIGHT
PBHFR1036	8" x 19"	16 lbs
PBHFR1048	8" x 31"	20 lbs
PBHFR1060	8" x 43"	24 lbs
PBHFR1072	8" x 55"	29 lbs

**Free Standing Footrest**

- Provides movable, on-demand ergonomic comfort when sitting
- Adjustable tilt up to 25°
- 8" of platform height adjustability
- Finished with textured black powder coat paint for slip resistant surface

PART NO.	DESCRIPTION	WEIGHT
FSFR	Free Standing Footrest	15 lbs





- Light gray laminate work surfaces
- For quantities of five or less  
(For quantities greater than 5, consult BOSTONtec.)
- Powder coat color selection options:



### Work Surfaces

PART NO.	PREMIUM GRADE LAMINATE
3M3048G	30"d x 48"w
3M3060G	30"d x 60"w
3M3072G	30"d x 72"w
3M3648G	36"d x 48"w
3M3660G	36"d x 60"w
3M3672G	36"d x 72"w

### Workstations

PART NO.	WORKSTATION BASE FRAME
PB3048	30"d x 48"w, Medium Duty - Electric
PB3060	30"d x 60"w, Medium Duty - Electric
PB3072	30"d x 72"w, Medium Duty - Electric
PB3648	36"d x 48"w, Medium Duty - Electric
PB3660	36"d x 60"w, Medium Duty - Electric
PB3672	36"d x 72"w, Medium Duty - Electric
PBH3048	30"d x 48"w, Heavy Duty - Electric
PBH3060	30"d x 60"w, Heavy Duty - Electric
PBH3072	30"d x 72"w, Heavy Duty - Electric
PBH3648	36"d x 48"w, Heavy Duty - Electric
PBH3660	36"d x 60"w, Heavy Duty - Electric
PBH3672	36"d x 72"w, Heavy Duty - Electric
AFH3048	30"d x 48"w, Heavy Duty - Manual
AFH3060	30"d x 60"w, Heavy Duty - Manual
AFH3072	30"d x 72"w, Heavy Duty - Manual
AFH3648	36"d x 48"w, Heavy Duty - Manual
AFH3660	36"d x 60"w, Heavy Duty - Manual
AFH3672	36"d x 72"w, Heavy Duty - Manual
FPL303048	30"h x 30"d, 48"w, With Leveler Glides - Extension Legs
FPL303060	30"h x 30"d, 60"w, With Leveler Glides - Extension Legs
FPL303072	30"h x 30"d, 72"w, With Leveler Glides - Extension Legs
FPL303648	30"h x 36"d, 48"w, With Leveler Glides - Extension Legs
FPL303660	30"h x 36"d, 60"w, With Leveler Glides - Extension Legs
FPL303672	30"h x 36"d, 72"w, With Leveler Glides - Extension Legs
FPC303048	30"h x 30"d, 48"w, With Casters - Extension Legs
FPC303060	30"h x 30"d, 60"w, With Casters - Extension Legs
FPC303072	30"h x 30"d, 72"w, With Casters - Extension Legs
FPC303648	30"h x 36"d, 48"w, With Casters - Extension Legs
FPC303660	30"h x 36"d, 60"w, With Casters - Extension Legs
FPC303672	30"h x 36"d, 72"w, With Casters - Extension Legs

### Feet or Casters

WORKSTATION MODEL	DEPTH	LEVELER FEET	CASTERS (4 LOCKING)
PB	30	FA30G	FE30G
	36	FA36G	FE36G
PBH	30	FA30I	FE30I
	36	FA36I	FE36I
AFH	30	FA30C	FE30C
	36	FA36C	FE36C



PART NO.	DESCRIPTION
SBUP53	Single Bay Slotted Uprights



PART NO.	DESCRIPTION
DBUP53	Double Bay Slotted Uprights



PART NO.	DESCRIPTION
TBUP53	Triple Bay Slotted Uprights



DIV1215



CSSDIV



PART NO.	DESCRIPTION
SH0830	Steel Shelf, 8"d x 30"w
SH1230	Steel Shelf, 12"d x 30"w
SH1530	Steel Shelf, 15"d x 30"w
DIV1215	Steel Shelf Divider, SH1230 & SH1530 Compatible

PART NO.	DESCRIPTION
CSS1530	Corrugate Storage Shelf, 15"d x 30"w
CSS1560	Corrugate Storage Shelf, 15"d x 60"w
CSSDIV	Corrugate Storage Shelf Divider

PART NO.	DESCRIPTION
PFSMA	Pneumatic Height Adjustable Flat Screen Monitor Arm



PART NO.	DESCRIPTION
FPDA	Articulating Flat Screen Monitor Arm



PART NO.	DESCRIPTION
CPUTC	CPU Holder Thin Client




PART NO.	DESCRIPTION
CPU12	CPU Holder
CPU20	CPU Holder



PART NO.	DESCRIPTION
PKBAA	Pneumatic Height Adjustable Keyboard Tray w/Mouse Platform



PART NO.	DESCRIPTION
KBAA	Articulating Keyboard Tray w/Mouse Platform



PART NO.	DESCRIPTION
UWKMS	Under-WS Keyboard Tray w/Sliding Mouse Platform
UWKMP	Under Work Surface Keyboard & Mouse Platform







PART NO.	DESCRIPTION
LED243248	LED Overhead Light (4) 24" Bulbs, 48" Tool Track
LED225660	LED Overhead Light (2) 48" Bulbs, 60" Tool Track
LED225672	LED Overhead Light (2) 48" Bulbs, 72" Tool Track

PART NO.	DESCRIPTION
PWRBAR815SB	Horizontal 8-Outlet Power Bar, 15A
PWRBAR820SB	Horizontal 8-Outlet Power Bar, 20A

PART NO.	DESCRIPTION
BR0429	Bin Rail



PART NO.	DESCRIPTION
SHR830	Spool Holder Rod

PART NO.	DESCRIPTION
BS2428P	24" x 28" Peg Board

PART NO.	DESCRIPTION
BS2428	24" x 28" Backscreen
BS2428W	24" x 28" White Board



PART NO.	DESCRIPTION
FSFR	Free Standing Footrest

PART NO.	DESCRIPTION
DR0303	(1) 3"h Drawer, 3"h x 18"d x 12"w, Non-Locking
DR0606	(1) 6"h Drawer, 6"h x 18"d x 12"w, Non-Locking
DR1212	(1) 12"h Drawer, 12"h x 18"d x 12"w, Non-Locking

PART NO.	DESCRIPTION
DR120606	2-6"h Drawers Stacked, 12"h x 18"d x 12"w
DR18060606	1-6"h & 1-12"h Drawers Stacked, 18"h x 18"d x 12"w
DR21030612	1-6"h & 1-12"h Lateral File Draw- ers Stacked, 18"h x 18"d x 12"w
DR180612	2-12"h Drawers Stacked, 24"h x 18"d x 12"w


# LABORATORY

MEDICAL DEVICE ASSEMBLY

PHARMACEUTICALS

HEALTHCARE

EDUCATION



Laboratory workstations are compatible with accessories within the laboratory section only.

**BOSTONtec**



# LABORATORY

Build Your Own Workstation in 4 Simple Steps!

1

Select  
Workstation  
Base Frame

2

Select  
Feet or Casters  
Type


3

Select  
Work Surface  
Type

4

Select  
Accessories

## Typical Laboratory Workstation





# LABORATORY HEIGHT ADJUSTABLE WORKSTATIONS

## Electric Height Adjustable Laboratory Workstation

This workstation is ideal for multiple users and maximum reconfigurability in a fast paced lab environment. Work surface height is easily adjustable at the touch of a button.



Load Capacity  
1,200 lbs\* | **ELECTRIC**

## Manual Height Adjustable Laboratory Workstation

This frame is best for single-shift, single-operator applications where frequent height changes are not required. Height adjustments are made by removing the locking hand screw, repositioning the telescoping leg to the desired height and replacing the locking hand screw.



Load Capacity  
1,200 lbs\* | **MANUAL**

### FEATURES:

- Cantilevered style leg ensures ample leg room
- Designed to support 5th to 95th percentile operators in a sitting or standing posture
- Adjusts 28" to 44" without work surface
- Programmable switch provides digital height read-out and preset adjustability
- Electric style has dual-synchronized linear actuators with integral limit switches, 12 VDC low voltage control
- Supports [ADA compliance](#)
- White epoxy powder coat finish  
(Additional colors available)
- [Work surface](#) and [accessories](#) ordered separately; not compatible with Industrial and Office accessories.

### FEET AND CASTERS

#### Leveler Feet

- Allow user to level workstation on uneven surfaces
- Leveler glides included
- Shown above on LMC model



#### Universal Locking Casters

- All 4 locking casters
- Polyurethane on polyolefin wheel
- 5.12" overall height; 4" wheel
- Non-marking



#### Universal Leveling Casters

- Nylon wheel; rubber leveling pad
- 2 1/2" wheel; 4 1/2" overall height
- Non-marking



See [chart](#) for foot and caster ordering information.

### BUILD YOUR PART NUMBER

**Electric:** LPC      **Manual:** LMC

**Available in depths:** 30" | 36"

**Available in widths:** 36" | 48" | 60" | 72"

*Additional sizes available upon request*

*\*Based on evenly distributed loads*

**BOSTONtec**



# LPC3060

Prefix      Depth      Width  
(based on work surface size)

**CONTACT US | 989-496-3500**



## LABORATORY UTILITY TABLES

### Laboratory Utility Table

This sturdy, four-post workstation is available with leg extensions or casters. The leg extensions are inserted inside the workstation legs and secured with machine screws.

#### FEATURES:

- Ships knocked down (KD)
- White epoxy powder coat finish  
(Additional colors available)
- Work surface and accessories ordered separately;  
not compatible with Industrial and Office accessories.

#### Utility Table with Leg Extensions and Leveler Glides (LUE)

- 8" of height adjustment
- Includes leveler glides and leg extensions

#### Utility Table with Casters (LUC)

- Fixed height
- Includes 2-locking and 2-non-locking casters
- 3" polyurethane casters

#### Utility Table with Leg Extensions and Casters (LUX)

- 8" of height adjustment
- Includes 2-locking and 2-non-locking casters
- 3" polyurethane casters



Load Capacity  
1,000 lbs\* | LUE



Load Capacity  
600 lbs\* | LUC

#### Under Work Surface Shelving

- Provides additional storage for occasional use items
- Available in half or full depth
- Choice of Phenolic Resin, Epoxy or Laminate surface



#### BUILD YOUR PART NUMBER

**LUE:** Utility Table with Leveler Glides and Leg Extensions

**LUC:** Utility Table with Swivel Casters

**LUX:** Utility Table with Swivel Casters and Leg Extensions

**Available in heights:** 30" | 36"

**Available in depths:** 30" | 36"

**Available in widths:** 36" | 48" | 60" | 72"

Additional sizes available upon request \*Based on evenly distributed loads

**LUC303660**

Prefix      Height      Depth      Width  
(based on work surface size)

CONTACT US | 989-496-3500

**BOSTONtec**

☐ **B** ☐ ☐ ☐



# Support Your Researchers

Ergonomic Workstations Designed for Your Unique Needs

View More Details



**SCAN ME**  
Hold camera to  
image



## Laboratory Workstations & Workbenches

Your best R&D work is yet to come when you provide your valuable team with a safe, productive, and comfortable work environment. With BOSTONtec you can expect a workstation with clean aesthetics for your professional lab. Its modular design is complemented by add-on accessories that specifically support lab tasks.

### KEY BENEFITS :

- Increase laboratory efficiency with well-designed stations
- Shorten time to market with an adaptable modular design
- Increase employee retention with a sound ergonomic work environment
- Virtually maintenance-free thanks to high-quality design and components
- Save cost, by reducing employee strains and injuries
- Keep your employees safe with a focus on ergonomics

**BOSTONtec**






## LABORATORY WORK SURFACES

### Premium Grade Laminate


This highly durable work surface is constructed with a top layer of 1/4" thick laminate over 1 1/8" high density core board.

#### Standard Edge




All four sides are edged with a high-impact-resistant 3mm thick PVC edging in a complementary color. Finished with a 2mm radius.

#### Stainless Steel




Durable and chemical-resistant, 1 1/2" stainless steel work surfaces are constructed of 304 grade, 14 gauge stainless steel formed over a sealed laminated core board. Work surface comes with a 2B random brushed finish and is non-reflecting.

#### Phenolic Resin



Our lab-grade, 1-inch thick phenolic resin work surface is made of thermoset resin composite, ideal for medium-duty applications. It provides high resistance to chemicals, bacteria, corrosion, fungi, and moisture. It can withstand continuous heat exposure up to 350°F. The standard color is black with additional color options available upon request.

#### Epoxy



A monolithic thermosetting material composed of modified epoxy resin and a fine filler material. This material exhibits exceptional structural strength and excellent chemical resistance. Finished edges are the same material as the work surface. Thickness is 1".

For additional work surface options, please refer to the [industrial work surfaces](#) pages | Standard Color: Black; additional colors available. See [QuickShip](#) page for eligibility.

CONTACT BOSTONtec FOR ORDERING INFORMATION

CONTACT US | 989-496-3500





## LABORATORY ACCESSORIES



PART NO.	DESCRIPTION	WEIGHT
URS13636	36"h Uprights for 36"w workstation (set of 2)	18 lbs
URS13648	36"h Uprights for 48"w workstation (set of 2)	18 lbs
URS13660	36"h Uprights for 60"w workstation (set of 3)	27 lbs
URS13672	36"h Uprights for 72"w workstation (set of 3)	27 lbs

### Surface-Mount, Steel Slotted Uprights

**UPRIGHT CAPACITY FOR 36"W & 48"W WORKSTATIONS: 150 lbs**

**UPRIGHT CAPACITY FOR 60"W & 72"W WORKSTATIONS: 225 lbs**

- Allow convenient access to accessories with optimal ergonomic reach access increasing productivity
- Slotting pattern allows adjustment in 1" increments without tools
- Accept laboratory accessories only
- Include hardware and mounting brackets
- White epoxy powder coat finish [Additional colors available](#)

PART NO.	DESCRIPTION	WEIGHT
URS14836	48"h Uprights for 36"w workstation (set of 2)	24 lbs
URS14848	48"h Uprights for 48"w workstation (set of 2)	24 lbs
URS14860	48"h Uprights for 60"w workstation (set of 3)	36 lbs
URS14872	48"h Uprights for 72"w workstation (set of 3)	36 lbs



### Premium Grade Laminate Shelf

**30"W SHELF CAPACITY: 100 lbs**

**36"W SHELF CAPACITY: 120 lbs**

**48"W SHELF CAPACITY: 160 lbs**

- Provides additional storage space within operator reach to keep work surface space available
- Includes a structural rear retainer lip
- Includes two angled brackets with white epoxy powder coat finish [\(Additional colors available\)](#)
- Standard black laminate; additional colors available

PART NO.	DESCRIPTION	WEIGHT
SU011236LNAS	0.75"h x 12"d x 36"w Shelf without rail for 36" workstation	11 lbs
SU011236LDAS	0.75"h x 12"d x 36"w Shelf with double rail front lip for 36" workstation	11 lbs
SU011248LNAS	0.75"h x 12"d x 48"w Shelf without rail for 48" workstation	14 lbs
SU011248LDAS	0.75"h x 12"d x 48"w Shelf with double rail front lip for 48" workstation	14 lbs
SU011260LNAS	0.75"h x 12"d x 30"w Shelf without rail for 60" workstation	9 lbs
SU011260LDAS	0.75"h x 12"d x 30"w Shelf with double rail front lip for 60" workstation	9 lbs
SU011272LNAS	0.75"h x 12"d x 36"w Shelf without rail for 72" workstation	11 lbs
SU011272LDAS	0.75"h x 12"d x 36"w Shelf with double rail front lip for 72" workstation	11 lbs

**BOSTONtec**



**CONTACT US | 989-496-3500**



## LABORATORY ACCESSORIES



### Metal Shelf

**30" W SHELF CAPACITY: 100 lbs**

**36" W SHELF CAPACITY: 120 lbs**

**48" W SHELF CAPACITY: 160 lbs**

- Provides additional storage space within operator reach to keep work surface open
- Includes two angled brackets
- Includes a structural rear retainer lip
- White epoxy powder coat finish ([Additional colors available](#))

PART NO.	DESCRIPTION	WEIGHT
SU011236MNAS	0.75"t x 12"d x 36"w Shelf without rail for 36" workstation	9 lbs
SU011236MDAS	0.75"t x 12"d x 36"w Shelf with double rail front lip for 36" workstation	9 lbs
SU011248MNAS	0.75"t x 12"d x 48"w Shelf without rail for 48" workstation	12 lbs
SU011248MDAS	0.75"t x 12"d x 48"w Shelf with double rail front lip for 48" workstation	12 lbs
SU011260MNAS	0.75"t x 12"d x 30"w Shelf without rail for 60" workstation	7.5 lbs
SU011260MDAS	0.75"t x 12"d x 30"w Shelf with double rail front lip for 60" workstation	7.5 lbs
SU011272MNAS	0.75"t x 12"d x 36"w Shelf without rail for 72" workstation	9 lbs
SU011272MDAS	0.75"t x 12"d x 36"w Shelf with double rail front lip for 72" workstation	9 lbs



### Standard LED Under Shelf Light

- 3500 K light color
- 24" light: 72 LEDs, 700 lumens; 44" light: 132 LEDs, 1313 lumens
- 40-watt power supply
- Built-in on/off switch with 100%-15% dimming capability
- Screw, magnetic mounting clips, and wire management included
- 10' power cord. Adder option includes 18" jumper cord

PART NO.	DESCRIPTION	WEIGHT
SLS24S	24"w Task Light Starter	3 lbs
SLS24A	24"w Task Light Adder	3 lbs
SLS44	44"w Task Light	5 lbs



## LABORATORY ACCESSORIES



### Premium LED Under Shelf Light

- 3500 K light color
- 24" light: 36 LEDs, 721 lumens; 44" light: 72 LEDs, 1446 lumens
- 60-watt power supply
- Built-in on/off switch with 100%-15% dimming capability
- Screw, magnetic mounting clips, and wire management included
- 11' power cord. Adder option includes 8" and 30" jumper cords

PART NO.	DESCRIPTION	WEIGHT
SLP24S	24"w Task Light Starter	3 lbs
SLP24A	24"w Task Light Adder	3 lbs
SLP44	44"w Task Light	5 lbs



CPU12



CPU20


### Under Work Surface CPU Holders

**CAPACITY CPU12: 15 lbs**

**CAPACITY CPU20: 50 lbs**

- Securely holds CPU off of floor and provides easy access when needed
- Easy installation via Quick Lock Technology
- Adjusts to fit CPUs 1"-5"w by 6"-12"h (CPU12)
- Adjusts to fit CPUs 3½"-9"w by 12"-20"h (CPU20)
- Slides smoothly on nylon glides in 16" track
- 360° degree swivel allows access to cables and ports
- Mounts under all laminate and hardwood work surfaces at least 30"d

PART NO.	DESCRIPTION	WEIGHT
CPU12	CPU Holder	9 lbs
CPU20	CPU Holder	11 lbs



### Pneumatic Height Adjustable Flat Screen Monitor Arm

**CAPACITY: 15.5 lbs**

- Provides optimum flexibility to move monitor into position
- Has tilt adjustability for improved viewing angle
- Holds monitor in place
- Height adjustability range = 11"
- Extension adjustability range = 22"

PART NO.	DESCRIPTION	WEIGHT
PFSMAS	Pneumatic Height Adjustable Flat Screen Monitor Arm	7 lbs

**BOSTONtec**




**CONTACT US | 989-496-3500**





## LABORATORY ACCESSORIES




PART NO.	DESCRIPTION	WEIGHT
PKBAAS	Pneumatic Height Adjustable Keyboard Tray w/Mouse Platform	15.5 lbs

### Pneumatic Height Adjustable Keyboard Tray with Mouse Platform

CAPACITY: 15.5 lbs

- Provides optimum flexibility to move keyboard into ergonomic position
- Keyboard tray rotates for easy adjustment
- Holds tray securely in place
- Tray includes 2" padded ergonomic wrist support strip for operator comfort
- Height adjustability range = 11"
- Extension adjustability range = 22"
- Keyboard tray is 10 1/2" d x 19" w; mouse platform is 8 3/4" diameter



### Under Work Surface Keyboard Tray with Sliding Mouse Platform

CAPACITY: 15 lbs

- Compatible with LPC, LMC, LUE, and LUC at all available depths.
- 18" track to allows operator to access or stow as needed
- 0°-15° tilt
- 7" height adjustability

#### Keyboard Tray with Sliding Mouse Platform Keyboard Tray

- Tray size 10.625" d x 19" w
- Includes 19" Technogel palm support

#### Mouse Platform

- 9" diameter
- 8" slide adjustment
- Left/right adaptable slide mount to suit user preference



PART NO.	DESCRIPTION	WEIGHT
UWKMS	Under-WS Keyboard Tray w/Sliding Mouse Platform	19 lbs

#### Keyboard and Mouse Tray

- Tray size 10.625" d x 27" w
- Includes 27" Technogel palm support
- Built-in left/right mouse area



PART NO.	DESCRIPTION	WEIGHT
UWKMP	Under Work Surface Keyboard & Mouse Platform	19 lbs



## LABORATORY ACCESSORIES



(Fourth set of duplex outlets  
located on power manifold back)

### Power Manifold


- Allows convenient access to electricity and/or data usage
- Data ports are non-wired
- 20A rated manifold
- Cord Length: 15'
- White epoxy powder coat finish ([Additional colors available](#))

#### Four Duplex Outlets

PART NO.	DESCRIPTION	WEIGHT
PM00URS1G03615	For 36" wide table	4 lbs
PM00URS1G04815	For 48" wide table	4 lbs
PM00URS1G06015	For 60" wide table (30" manifold)	5 lbs
PM00URS1G07215	For 72" wide table (36" manifold)	6 lbs

#### Four Duplex Outlets & One Data Port

PART NO.	DESCRIPTION	WEIGHT
PM01URS1G03615	For 36" wide table	4 lbs
PM01URS1G04815	For 48" wide table	4 lbs
PM01URS1G06015	For 60" wide table (30" manifold)	5 lbs
PM01URS1G07215	For 72" wide table (36" manifold)	6 lbs



### Gas Manifold

- Allows convenient access to gases
- Open back design
- White epoxy powder coat finish ([Additional colors available](#))

#### Three Fixture Holes

PART NO.	DESCRIPTION	WEIGHT
GM50URS136	For 36" wide table	2 lbs
GM50URS148	For 48" wide table	2 lbs
GM50URS160	For 60" wide table (30" manifold)	3 lbs
GM50URS172	For 72" wide table (36" manifold)	4 lbs

#### Four Fixture Holes

PART NO.	DESCRIPTION	WEIGHT
GM51URS136	For 36" wide table	2 lbs
GM51URS148	For 48" wide table	2 lbs
GM51URS160	For 60" wide table (30" manifold)	3 lbs
GM51URS172	For 72" wide table (36" manifold)	4 lbs



# LABORATORY ACCESSORIES

## Hanging Cabinets

- Durable under work surface storage to keep work surface space available
- Premium grade laminate with 3mm edging
- Available in standard gray; additional colors available upon request



PART NO.	DESCRIPTION	WEIGHT
KA051242418 / KA052242418	Hanging laminate cabinet with hinged left/right door with (2) pull-out shelves, 24h x 24d x 18w	88 lbs
KA051242424 / KA052242424	Hanging laminate cabinet with hinged left/right door & (2) pull-out shelves - 24h x 24d x 24w	104 lbs
KA403242418	Hanging cabinet with (3) drawers - 24h x 24d x 18w	102 lbs
KA403242424	Hanging cabinet with (3) drawers - 24h x 24d x 24w	120 lbs
KA010242424	Hanging cabinet with (2) doors - 24h x 24d x 24w	84 lbs
KA010242430	Hanging cabinet with (2) doors - 24h x 24d x 30w	91 lbs
KA010242436	Hanging cabinet with (2) doors - 24h x 24d x 36w	99 lbs
KA050242424	Hanging cabinet with (2) doors and (2) pull-out shelves - 24h x 24d x 24w	104 lbs
KA050242430	Hanging cabinet with (2) doors and (2) pull-out shelves - 24h x 24d x 30w	115 lbs
KA050242436	Hanging cabinet with (2) doors and (2) pull-out shelves - 24h x 24d x 36w	126 lbs
KA454242418	Hanging cabinet with (2) drawers and (1) lateral file drawer - 24h x 24d x 18w	108 lbs
KAKA3042418	Hanging knee drawer with (1) drawer - 4h x 24d x 18w	29 lbs
KAKA3042424	Hanging knee drawer with (1) drawer - 4h x 24d x 24w	34 lbs
KAKA3042430	Hanging knee drawer with (1) drawer - 4h x 24d x 30w	42 lbs

# Resources

## TROUBLESHOOTING

### Have a question?

We have your all access pass to all things ergonomics. On [bostontec.com](http://bostontec.com) everything from [Literature Downloads](#) to [Blogs](#) are just a click away!

Check out our [Troubleshooting Guide](#) by scanning the QR code.



## CUSTOMER SERVICE

### Did you know?

You can receive information specific to your workstation by referencing the manufacturing number label on the underside of the workstation base.

Contact us for questions at [bostontec.com](http://bostontec.com).



### How do we set the standard for Shipping and Packaging?

- Bigger and stronger pallets
- Extra protection for the table top
- Additional reinforcement
- Sustainable packaging



# FEET AND CASTER PART NUMBERS

## INDUSTRIAL

For descriptions and images of feet and casters, see the [industrial section](#).

WORKSTATION MODEL	DEPTH	LEVELER FEET	UNIVERSAL LOCKING CASTER (4 LOCKING)	MEDIUM DUTY ESD CASTER (4 LOCKING)	UNIVERSAL LEVELING CASTER
AFH	24	FA24C	FE24C	N/A	FK24C
	30	FA30C*	FE30C*	N/A	FK30C
	36	FA36C*	FE36C*	N/A	FK36C
AFHC	30	FA30D	FE30D	N/A	FK30D
	36	FA36D	FE36D	N/A	FK36D
	48	FA48D	FE48D	N/A	FK48D
PB	24	FA24G	FE24G	FG24G	FK24G
	30	FA30G*	FE30G*	FG30G	FK30G
	36	FA36G*	FE36G*	FG36G	FK36G
PBC	30	FA30H	FE30H	FG30H	FK30H
	36	FA36H	FE36H	FG36H	FK36H
	48	FA48H	FE48H	FG48H	FK48H
PBH	24	FA24I	FE24I	N/A	FK24I
	30	FA30I*	FE30I*	N/A	FK30I
	36	FA36I*	FE36I*	N/A	FK36I
PBHC	30	FA30J	FE30J	N/A	FK30J
	36	FA36J	FE36J	N/A	FK36J
	48	FA48J	FE48J	N/A	FK48J

\* [QuickShip](#) available item


## LABORATORY

For descriptions and images of feet and casters, see the [laboratory section](#).

TABLE TYPE	DEPTH	LEVELER FEET	UNIVERSAL LOCKING CASTER (4 LOCKING)	UNIVERSAL LEVELING CASTER
LMC	30	FA30M	FE30M	FK30M
	36	FA36M	FE36M	FK36M
LPC	30	FA30N	FE30N	FK30N
	36	FA36N	FE36N	FK36N



# Try our 3D Workstation Builder



*"The BEST  
I've ever seen.  
Finally, a  
configurator  
that's detailed &  
easy to use!"*

## Design Your **Ideal Workstation**

At BOSTONtec® we believe it's important to have a workstation that fits your needs. That's why we are excited to provide our online 3D builder tool!

Now you can drag and click your way to your ultimate workstation design! Don't see exactly what you are looking for? No problem! We're pros at customization. We design our workstations to adjust to you, rather than the other way around.

That's important, because a well-designed workplace can make people up to 25% more productive and reduce healthcare costs. It's also easier to retain talent in a healthy, comfortable environment. Ready to experience quality, ease, and durability?... Let's talk. Contact us at [info@bostontec.com](mailto:info@bostontec.com)



989.496.3500 | 2700 James Savage Rd, Midland, MI 48642  
Disclaimer: Product specifications and availability may change without notice

FOLLOW US ON:



**bostontec.com**